



"security token" access control metadata

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Filing date

☐ Return patents filed anytime

☒ Return patents filed between Jan ▾ 1970 ▾ and Feb ▾ 2003 ▾

Patents

Patents 1 - 4 on "security token" access control metadata. (0.25 seconds)

Method, system, and program product for transaction management in a ... [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 6873995 - Filed Apr 23, 2002 - International Business Machines Corporation

However, the **metadata** updates on the library userid and content manager (CM) ...

A library server (LS)-generated **security token** that is used from failure, ...

Method and business process to maintain privacy in distributed ...

US Pat. 7072886 - Filed Sep 13, 2001 - Nokia Corporation

37 When WAP protocol gateway 120 sends a **metadata** vector 138 message to network

... Wireless Identity Module (WIM) is a **security token** feature of the WAP ...

Digital video authenticator

US Pat. 7197143 - Filed Jan 16, 2003 - The Johns Hopkins University

The next step is to initiate a handshake with the **security token** 1004 that has been

... video, and **metadata** (control data for both the DVA and digital video ...

Method and business process to maintain privacy in distributed ...

US Pat. 6968334 - Filed May 15, 2001 - Nokia Corporation

Other protocols that can be used in the invention to **access** the Internet ...

Wireless Identity Module (WIM) is a **security token** feature 65 of the WAP Client ...

"security token" access control metadata

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



token access control XPath

[Search Patents](#)

[Advanced Patent Search](#)
[Google Patent Search](#)

Filing date

☐ Return patents filed anytime

☒ Return patents filed between Jan ▾ 1970 ▾ and Feb ▾ 2003 ▾

Patents

Patents 1 - 1 on token access control XPath. (0.32 seconds)

[Method and apparatus for generating a directory structure](#) [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 7200627 - Filed Mar 20, 2002 - Nokia Corporation

Examples of such XML Path Language (xpath). Through the selection of ... retrieval, versioning, and access control of elec- that explicit element ID values ...

token access control XPath

[Search Patents](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1629	xpath OR "xml" path language AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:41
L3	5	(xpath OR "xml" path language) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:42
L4	30	(xpath OR "xml" path language) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:43
S1	96	token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:40
S2	13	reject AND token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:20
S3	0	"Security Scopes and Profiles"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 16:57
S4	12	security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:21
S5	3	access control AND security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:25

EAST Search History

S6	57	access control AND security token AND "726".clas. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:33
S7	12	access control AND security token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S8	2	"6061684".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:38
S9	2	"6088805".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:40
S10	2	"6141754".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:41
S11	2	"6279111".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:43
S12	2	"6381602".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:44
S13	2	"6412070".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:45

EAST Search History

S14	2	"6434607".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S15	2	"6446206".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S16	3	"6449633".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:47
S17	3	"6513721".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S18	2	"6625603".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S19	2	"5446903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:49
S20	2	"5838903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50
S21	2	"6014666".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50

EAST Search History

S22	2	"6058426".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:52
S23	2	"6233576".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53
S24	2	"6473800".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53
S25	2	"6658573".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:54
S26	2	"5850446".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:55
S27	2	"5996076".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56
S28	2	"6002767".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56
S29	2	"6163772".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:57

EAST Search History

S30	2	"6253027".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:58
S31	129	resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S32	13	metadata AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:07
S33	101	message AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:14
S34	62	subject AND message AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:16
S35	70	subject AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:40
S36	115	message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:37
S37	82	(reject\$3 OR deny OR denied OR refus\$3) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:00

EAST Search History

S38	92	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:15
S39	7	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:32
S40	0	xpath AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S41	0	xpath AND message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S42	51	message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S43	51	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:39
S44	46	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:46
S45	0	out of band AND message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:47

EAST Search History

S46	0	out of band AND message AND token AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:55
S47	0	out of band AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56
S48	67	secure channel AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56
S49	25	token AND secure channel AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:57
S50	25	message AND token AND (secure channel) AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:00
S51	1	message AND token AND second WITH (secure channel) AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S52	0	message AND token AND second NEAR (secure channel) AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S53	0	message AND token AND another NEAR (secure channel) AND "726/1,16,17,21,27,30".cccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01